


# *Cub Cadet*<sup>®</sup>

## GARDEN & SUPER GARDEN TRACTORS





# GARDEN TR



Contoured, high-back, 5-position adjustable seat

Direct drive shaft from engine to transmission, no belts

Translucent 5-gallon fuel tank

One-piece, all-steel fender

Dual external disc brakes

Heavy-duty 1" forged-steel rear axle

Infinitely variable speed, hydrostatic transmission

Optional full-floating cutting decks available in 42", 44", 46", 48" and 54" widths

Nonskid rubber scuff mats

1



# ACTORS



Locking, 6-position tilt steering wheel



OHV V-twin cylinder engine with full-pressure lubrication and spin-on oil filter

Hood & side panels - rustproof, engineered materials with color molded through

Dual 35-watt sealed-beam headlights

Removable front grille for easy access to front PTO & mower drive belt



Welded, full-length, twin-channel steel frame

Power steering (Model 1864)

Front-wheel grease fitting

Ball bearings

Pivoting, cast-iron front axle with grease fittings

2






## MODEL 1440 GARDEN TRACTOR

**A 14 HP ENGINE WITH A SPRING-ASSIST MANUAL LIFT, PLUS A VARIETY OF OTHER GREAT FEATURES, HELPS MAKE THE MODEL 1440 BOTH AN OUTSTANDING PERFORMER AND AN OUTSTANDING TRACTOR VALUE.**

- ◆ 14 HP Vanguard OHV V-twin cylinder engine with full-pressure lubrication and spin-on oil filter
- ◆ Electric front PTO clutch
- ◆ Infinitely variable speed, hydrostatic transmission
- ◆ Direct drive shaft from engine to transmission, no belts
- ◆ Pivoting, cast-iron front axle with grease fittings
- ◆ 6-position tilt steering wheel
- ◆ Welded, full-length, twin-channel steel frame
- ◆ Dual 35-watt sealed-beam headlights
- ◆ Rustproof hood and side panels made of engineered material with color molded through
- ◆ Translucent 5-gallon saddle fuel tank with 3 1/2" filler neck
- ◆ Heavy-duty, 1" forged-steel rear axle
- ◆ Reverse safety switch
- ◆ Lighted dash indicators for oil, PTO, amps, reverse gear, low fuel and depressed brake pedal
- ◆ Wide range of optional attachments for year-round utility



The Cub Cadet Model 1440 Garden Tractor features a rugged, 14 HP Vanguard OHV V-twin cylinder engine.



## MODEL 1641 GARDEN TRACTOR

The Model 1641 has a hydraulic lift for added convenience and ease of operation.




**A BIG 16 HP ENGINE AND A HYDRAULIC LIFT GIVE THE MODEL 1641 ALL THE POWER IT NEEDS TO TACKLE ANY TASK YOUR GARDEN HAS TO OFFER.**

- ◆ 16 HP Vanguard OHV V-twin cylinder engine with full-pressure lubrication and spin-on oil filter
- ◆ Electric front PTO clutch
- ◆ Infinitely variable speed, hydrostatic transmission
- ◆ Direct drive shaft from engine to transmission, no belts
- ◆ Pivoting, cast-iron front axle with grease fittings
- ◆ 6-position tilt steering wheel
- ◆ Welded, full-length, twin-channel steel frame
- ◆ Hydraulic lift
- ◆ Dual 35-watt sealed-beam headlights
- ◆ Rustproof hood and side panels made of engineered material with color molded through
- ◆ Translucent 5-gallon saddle fuel tank with 3 1/2" filler neck
- ◆ Heavy-duty, 1" forged-steel rear axle
- ◆ Reverse safety switch
- ◆ Lighted dash indicators for oil, PTO, amps, reverse gear, low fuel and depressed brake pedal
- ◆ Wide range of optional attachments for year-round utility

4

Garden and Super Garden Tractors all have a convenient, adjustable, 5-position seat.



Six-position tilt steering wheel adjusts for your comfort.



**Cub Cadet**

**Power Equipment**



## MODEL 1863 GARDEN TRACTOR

**BUILT TO HANDLE A VARIETY OF YEAR-ROUND USES, THE MODEL 1863 HAS A POWERFUL 18 HP ENGINE AND CAN ACCOMMODATE OPTIONAL HAULING, TILLING, CULTIVATING AND SNOW-REMOVAL ACCESSORIES.**

- ◆ 18 HP Kohler Command OHV V-twin cylinder engine with full-pressure lubrication and spin-on oil filter
- ◆ Electric front PTO clutch
- ◆ Infinitely variable speed, hydrostatic transmission
- ◆ Direct drive shaft from engine to transmission, no belts
- ◆ Pivoting, cast-iron front axle with grease fittings
- ◆ 6-position tilt steering wheel
- ◆ Welded, full-length, twin-channel steel frame
- ◆ Hydraulic lift
- ◆ Dual 35-watt sealed-beam headlights
- ◆ Rustproof hood and side panels made of engineered material with color molded through
- ◆ Translucent 5-gallon saddle fuel tank with 3 1/2" filler neck
- ◆ Heavy-duty, 1" forged-steel rear axle
- ◆ Reverse safety switch
- ◆ Lighted dash indicators for oil, PTO, amps, reverse gear, low fuel and depressed brake pedal
- ◆ Wide range of optional attachments for year-round utility



With so many available attachment options, the Model 1863 is one of Cub Cadet's most versatile garden tractors.



## MODEL 1864 GARDEN TRACTOR


The Model 1864 is shown here with optional 10 cu. ft. trailer.



### THE CONVENIENCE OF POWER STEERING ROUNDS OUT THE LIST OF TERRIFIC FEATURES ON THE MODEL 1864 – THE TOP OF THE CUB CADET GARDEN TRACTOR LINE.

- ◆ 18 HP Kohler Command OHV V-twin cylinder engine with full-pressure lubrication and spin-on oil filter
- ◆ Electric front PTO clutch
- ◆ Infinitely variable speed, hydrostatic transmission
- ◆ Direct drive shaft from engine to transmission, no belts
- ◆ Pivoting, cast-iron front axle with grease fittings
- ◆ 6-position tilt steering wheel
- ◆ Welded, full-length, twin-channel steel frame
- ◆ Hydraulic lift
- ◆ Power steering
- ◆ Dual 35-watt sealed-beam headlights
- ◆ Rustproof hood and side panels made of engineered material with color molded through
- ◆ Translucent 5-gallon saddle fuel tank with 3 1/2" filler neck
- ◆ Heavy-duty, 1" forged-steel rear axle
- ◆ Reverse safety switch
- ◆ Lighted dash indicators for oil, PTO, amps, reverse gear, low fuel and depressed brake pedal
- ◆ Wide range of optional attachments for year-round utility

Convenient lighted controls and power steering increase operator comfort and safety.



Power steering is standard on the Model 1864.




**Cub Cadet**

**Power Equipment**



# SUPER GARD



Contoured, high-back,  
5-position adjustable  
seat

Locking,  
6-position  
tilt steering  
wheel

Translucent  
5-gallon fuel tank

One-piece, all-steel  
fender with extended  
polypropylene fender  
flares

Dual external  
disc brakes

Heavy-duty  
1" forged-steel  
rear axle

Infinitely variable  
speed, hydrostatic  
transmission

Nonskid rubber  
scuff mats

46", 48", 54" and 60" optional  
full-floating cutting decks  
available for Super Garden  
Tractors

Front-wheel  
grease fitting

7



# EN TRACTORS

**2**  
**YEAR**  
**LIMITED**  
**WARRANTY WARRANTY**

Direct drive shaft from engine to transmission, no belts

Hood & side panels—rustproof, engineered materials with color molded through

Dual 35-watt sealed-beam headlights

Removable front grille for easy access to front PTO & mower drive belt

Welded, full-length, twin-channel steel frame

Pivoting, cast-iron front axle with grease fittings

Ball bearings

Power steering standard on all Super Garden Tractors

**Cub Cadet**  
Power Equipment



**MODEL  
2284  
SUPER GARDEN  
TRACTOR**

The Model 2284 is at the very top of the Cub Cadet Super Garden Tractor line.

**THE MODEL 2284 REALLY PUTS THE "SUPER" IN SUPER GARDEN TRACTOR, WITH A POWERFUL 22 HP ENGINE AND A LIST OF FEATURES THAT MAKE THIS TRACTOR THE ULTIMATE IN COMFORT AND CONVENIENCE.**

- ◆ 22 HP Kohler Command OHV V-twin cylinder engine
- ◆ Electric front PTO clutch
- ◆ Infinitely variable speed, hydrostatic transmission
- ◆ Direct drive shaft from engine to transmission, no belts
- ◆ Pivoting, cast-iron front axle with grease fittings
- ◆ 6-position tilt steering wheel
- ◆ Welded, full-length, twin-channel steel frame
- ◆ Hydraulic lift
- ◆ Power steering
- ◆ Rustproof hood and side panels made of engineered material with color molded through
- ◆ Heavy-duty, 1" forged-steel rear axle
- ◆ Reverse safety switch
- ◆ Wide range of optional attachments for year-round utility



**MODEL  
2086  
SUPER GARDEN  
TRACTOR**

The Model 2086 combines a great list of features with the power of a large, 20 HP liquid-cooled gasoline engine.





**MODEL  
1782  
SUPER GARDEN  
TRACTOR**

A 17 HP liquid-cooled, three-cylinder diesel engine powers the Model 1782.



**A 17 HP, LIQUID-COOLED DIESEL ENGINE GIVES THE MODEL 1782 WHAT IT TAKES TO HANDLE EVEN THE TOUGHEST TASKS WITH EASE.**

- ◆ 17 HP liquid-cooled, three-cylinder diesel engine

All Super Garden Tractors feature fender flares, which help to protect operator from flying debris when tilling, plowing, etc.




10

**THIS TOP PERFORMER HAS ALL THE GREAT FEATURES OF THE MODEL 2284 BUT WITH A 20 HP LIQUID-COOLED GASOLINE ENGINE.**

- ◆ 20 HP liquid-cooled, gas V-twin cylinder engine

Dual-control brake pedals allow independent left or right braking, tighter turning and the transfer of power to one wheel.



**Cub Cadet**  
Power Equipment




## ATTACHMENTS

ADD YEAR-ROUND VERSATILITY TO YOUR CUB CADET GARDEN AND SUPER GARDEN TRACTORS WITH A VARIETY OF HANDY ATTACHMENTS.



Attach a 42" or 54" Blade for year-round versatility.




25-Gallon Tow-Behind, 12-Volt Spot Sprayer with 12" Hand Gun. 14-Gallon also available.

11

YOU CAN MAKE A WHOLE NEW LIST OF TASKS FOR YOUR CUB CADET GARDEN OR SUPER GARDEN TRACTOR WITH EASY-TO-ATTACH AND EASY-TO-USE OPTIONAL ACCESSORIES LIKE A TILLER, A SNOW THROWER, A LAWN AERATOR AND MORE.

Triple Rear Bagger




**Cub Cadet**  
Power Equipment



## CUTTING DECKS

THERE ARE SEVERAL DIFFERENT SIZES OF CUTTING DECKS AVAILABLE FOR CUB CADET GARDEN AND SUPER GARDEN TRACTORS, INCLUDING SOME WITH MULCHING KITS. NOT ALL DECK SIZES WORK WITH ALL TRACTORS.



44" Cutting Deck



46" Cutting Deck  
Opt'l Triple Bagger  
Available




48" Cutting Deck - Opt'l  
Mulching Kit Available



54" Cutting Deck - Opt'l  
Mulching Kit Available



60" Cutting Deck



42" Cutting Deck -  
Opt'l Mulching Kit  
Available

MULCHING KITS ARE AVAILABLE IN SEVERAL DECK SIZES FOR YOUR CUB CADET GARDEN AND SUPER GARDEN TRACTORS. THESE KITS ARE DESIGNED TO HOLD GRASS CLIPPINGS IN THE CHAMBER LONGER, TO CUT AND RE-CUT THEM INTO SMALLER PIECES THAT VIRTUALLY DISAPPEAR INTO YOUR LAWN, CREATING A HEALTHY AND ENVIRONMENTALLY SOUND MULCH.





# GARDEN & SUPER GARDEN TRACTOR



Triple Rear Bagger for  
46" Deck



PTO Rotary Cutter, 42", for  
Super Garden Tractor



38" Lawn Sweeper




Lawn Roller  
36" x 24"




10 cu. ft. Trailer  
(10 cu. ft. Heavy-Duty Trailer also  
available)



17 cu. ft. Trailer



3-Point Hitch




PTO with 3-Point Hitch on Super  
Garden Tractors only



42" PTO-Driven Tiller



14-Gallon Tow-Behind, 12-Volt Spot  
Sprayer with 12" Hand Gun



Snow Thrower  
45", 2-Stage



The new optional front-mount  
bumper provides additional  
protection, and it looks good too!





Aerator



17 cu. ft. Super Trailer



Agricultural Tires



Rear Weight Bracket

1440 1641 1863 1864 1782 2086 2284

		1440	1641	1863	1864	1782	2086	2284
<b>Front-Mounted Attachments</b>								
190375	Snow Blade 42'	•	•	•	•			
190376	Snow Blade 54'	•	•	•	•			
190316	Adapting Pkg. for 42' & 54' Blade	•	•	•	•			
190401	Snow Blade 54' (Super G.T.)					•	•	•
190378	Hydraulic Blade-Angle Kit		•	•	•	•	•	•
190451	Snow Thrower 45', 2-Stage	•	•	•	•	•	•	•
190529	Snow Thrower Adapting Kit (Super G.T.)					•	•	•
190528	Snow Thrower Adapting Kit	•						
190398	Front Bumper	•	•	•	•	•	•	•
<b>Center-Mounted Attachments</b>								
190315	Mulching Kit for 42' Deck Only	•	•	•	•			
190320	Cutting Deck High-Vacuum 42"	•	•	•	•			
190318	Cutting Deck 44"	•	•	•	•			
190321	Cutting Deck High-Vacuum 46"		•	•	•	•	•	•
759-3673	Adapting Kit for 46" Deck (Super G.T.)					•	•	•
590502	Mulching Kit for 48" Deck		•	•	•	•	•	•
190317	Cutting Deck 48"		•	•	•	•	•	•
590503	Mulching Kit for 54" Deck			•	•	•	•	•
190324	Cutting Deck 54"			•	•	•	•	•
190323	Adapting Kit for 48' & 54' Deck (G. T. Only)		•	•	•			
190322	Adapting Kit for 48' & 54' Deck (S. G. T. Only)					•	•	•
190325	Cutting Deck 60"					•	•	•
190319	Front Mule Drive					•	•	•
<b>Rear-Mounted Attachments</b>								
190309	Adapting Kit for 3-Pt. Hitch	•						
190389	3-Point Category "O" Hitch	•	•	•	•			
190383	3-Point Category "O" Hitch (Super G.T.)					•	•	•
190433	Rear PTO Kit (Super G.T.)					•	•	•
190400	8 HP Rotary Tiller	•	•	•	•			
190405	Rotary Tiller Adaptor Kit	•	•	•	•			
190308	PTO-Driven Tiller 42' (Super G.T.)					•	•	•
190349	PTO Rotary Cutter 42' (Super G.T.)					•	•	•
190924	"A"- Frame Adaptor (3-pt. to Sleeve)	•	•	•	•	•	•	•
190920	12" Moldboard Plow (3-pt. Hitch)	•	•	•	•	•	•	•
190921	Tandem Disc (3-pt. Hitch)	•	•	•	•	•	•	•
190922	Spring Shank Cultivator (3-pt. Hitch)	•	•	•	•	•	•	•
190313	Triple Rear Bagger (42" Deck)	•	•	•	•			
190335	Triple Rear Bagger for 46" Deck (G.T. Only)		•	•	•			
190330	Triple Rear Bagger for 46" Deck (S.G.T. Only)*					•	•	•
190329	Adapt. Kit for Triple Rear Bagger (S.G.T. Only)					•	•	•
190447	Rear Weight Bracket	•	•	•	•	•	•	•
<b>Miscellaneous Attachments</b>								
190370	Rear Wheel Weights (2@ 75 lb. Each)	•	•	•	•	•	•	•
190390	Front/Rear Suitcase Weights (2@ 42 lb. each)	•	•	•	•	•	•	•
190443	Weight Bracket (Front)	•	•	•	•	•	•	•
190407	Turf-Tread Tires / Rims (2) 23" Std.	•	•	•	•			
190408	Turf-Tread Tires / Rims (2) 26" (S.G.T.) Std.					•	•	•
190409	Agricultural-Tread Tires / Rims (2) 23"	•	•	•	•			
190410	Agricultural-Tread Tires / Rims (2) 26" (S.G.T.)					•	•	•
<b>Trailing Attachments</b>								
190653	10 cu. ft. Trailer (750 lb. Capacity)	•	•	•	•	•	•	•
190368	10 cu. ft. Heavy-Duty Trailer (1200 lb. Cap.)	•	•	•	•	•	•	•
190425	17 cu. ft. Heavy-Duty Trailer (1500 lb. Cap.)	•	•	•	•	•	•	•
190521	17 cu. ft. Super Trailer (1700 lb. Cap.)	•	•	•	•	•	•	•
190224	Lawn Aerator (36" Path)	•	•	•	•	•	•	•
190509	Lawn Roller 36" x 24" (39 <sup>3</sup> / <sub>4</sub> " Width)	•	•	•	•	•	•	•
190438	Broadcast Spreader (10' x 12' Spread Width)	•	•	•	•	•	•	•
190220	32" Lawn Sweeper	•	•	•	•	•	•	•
190222	38" Lawn Sweeper	•	•	•	•	•	•	•
190155	14-Gallon Tow-Behind Sprayer	•	•	•	•	•	•	•
190537	25-Gallon Tow-Behind Sprayer	•	•	•	•	•	•	•

\* Right fender flair must be removed when using Triple Rear Bagger.



# GARDEN & SUPER

MODEL	1440	1641	1863
<b>Power</b>			
HP	14 HPOHV Vanguard	16 HPOHV Vanguard	18 HPOHV Kohler Command
Cooling	Air	Air	Air
Lubrication	Automotive Type w/ Spin-On Oil Filter	Automotive Type w/ Spin-On Oil Filter	Automotive Type w/ Spin-On Oil Filter
Block	Aluminum w/ Cast-Iron Liner	Aluminum w/ Cast-Iron Liner	Aluminum w/ Cast-Iron Liner
Fuel	Regular or Unleaded	Regular or Unleaded	Regular or Unleaded
Cylinder	V-Twin Cylinder / 29.3 cu. in.	V-Twin Cylinder / 29.3 cu. in.	V-Twin Cylinder / 38.1 cu. in.
<b>Power Train</b>			
Drive System	Hydro-Gear Hydrostatic Pump	Hydro-Gear Hydrostatic Pump	Hydro-Gear Hydrostatic Pump
Final Drive	Automotive Differential in Cast-Iron Carrier. Ring Gear & Pinion on Ball Bearings. 30mm Axle.		
Engine to Transmission	Drive Shaft, No Belts	Drive Shaft, No Belts	Drive Shaft, No Belts
Speeds	Infinite	Infinite	Infinite
PTO Clutch	Electric Front PTO	Electric Front PTO	Electric Front PTO
<b>Electrical System</b>			
Charging System	15 Amp. Regulated	15 Amp. Regulated	15 Amp. Regulated
Battery	12-Volt; 440 Cold-Crank Amp.	12-Volt; 440 Cold-Crank Amp.	12-Volt; 440 Cold-Crank Amp.
<b>Operation</b>			
Steering	Enclosed Gear & Cam w/ 6-Position Tilt	Enclosed Gear & Cam w/ 6-Position Tilt	Enclosed Gear & Cam w/ 6-Position Tilt
Deck Lift	Manual w/ Spring Assist	Hydraulic	Hydraulic
Brakes	Dual External Disc	Dual External Disc	Dual External Disc
Seat	5-Position Adjustable, High-Back	5-Position Adjustable, High-Back	5-Position Adjustable, High-Back
Safety Systems	Neutral Start, Operator Seat, Reverse Safety Switch, Brake Pedal Lock		
<b>Construction</b>			
Frame	Full-Length, Twin-Channel, 10-Gauge Steel	Full-Length, Twin-Channel, 10-Gauge Steel	Full-Length, Twin-Channel, 10-Gauge Steel
Front Axle	Cast Iron, w/ Greaseable Spindles & Center Pivot, 1" Axle to Wheels w/ Inner & Outer Ball Bearings		
Superstructure	All-Steel Fenders; Hood & Side Panels Constructed of Engineered Material		
<b>Capacities</b>			
Fuel Tank	5 Gallons	5 Gallons	5 Gallons
Engine Oil	3.8 Pints	3.8 Pints	4 Pints
<b>Mower Deck</b>			
Cutting Widths	42" and 44" (Optional)	42", 44", 46" and 48" (Optional)	42", 44", 46", 48" and 54" (Optional)
Cutting Height	2" to 4"	2" to 4"	2" to 4"
Suspension	Floating, w/ 4-Point Parallel Linkage	Floating, w/ 4-Point Parallel Linkage	Floating, w/ 4-Point Parallel Linkage
Bagger	Optional Triple Bagger (42" & 46" Only), 10-Bushel Capacity		
Anti-Scalp	2 Adjustable Gauge Wheels, 1 Roller on 42"; 4 Gauge Wheels, 1 Roller on 44"; 4 Adjustable Gauge Wheels, 1 Roller on 46" and 2 Rollers on 48" & 54"		
<b>Dimensions</b>			
Turning Radius	28"	28"	28"
Tires-Front/Rear	16 x 6.5-8 / 23 x 10.5-12	16 x 6.5-8 / 23 x 10.5-12	16 x 6.5-8 / 23 x 10.5-12
Wheelbase	46.5"	46.5"	46.5"
Overall Length	72"	72"	72"
Overall Width (w/o Deck)	37.75"	37.75"	37.75"
Height (Top of Steering)	44"	44"	44"
Approx. Weight	763 lb. w / 42" Deck	789 lb. w / 46" Deck	868 lb. w / 54" Deck
<b>Warranty</b>	2-Year Limited		

Specifications Subject to Change Without Notice.



# S P E C I F I C



# GARDEN TRACTORS

1864	1782	2086	2284
18 HPOHV Kohler Command	17 HP Kubota Diesel	20 HPOHV Kawasaki	22 HPOHV Kohler Command
Air	Liquid	Liquid	Air
Automotive Type w/ Spin-On Oil Filter	Automotive Type w/ Spin-On Oil Filter	Automotive Type w/ Spin-On Oil Filter	Automotive Type w/ Spin-On Oil Filter
Aluminum w/ Cast-Iron Liner	Cast Iron	Aluminum w/ Cast-Iron Liner	Aluminum w/ Cast-Iron Liner
Regular or Unleaded	No. 2 Diesel	Regular or Unleaded	Regular or Unleaded
V-Twin Cylinder / 38.1 cu. in.	3-Cylinder / 38.93 cu. in.	V-Twin Cylinder / 37.7 cu. in.	V-Twin Cylinder / 38.1 cu. in.
Sundstrand Hydrostatic Pump	Sundstrand Hydrostatic Pump	Sundstrand Hydrostatic Pump	Sundstrand Hydrostatic Pump
Automotive Differential in Cast-Iron Carrier. Ring Gear & Pinion on Ball Bearings. 30mm Axle.			
Drive Shaft, No Belts	Drive Shaft, No Belts	Drive Shaft, No Belts	Drive Shaft, No Belts
Infinite	Infinite	Infinite	Infinite
Electric Front PTO	Electric Front PTO	Electric Front PTO	Electric Front PTO
15 Amp. Regulated	15 Amp. Regulated	15 Amp. Regulated	15 Amp. Regulated
12-Volt; 440 Cold-Crank Amp.	12-Volt; 500 Cold-Crank Amp.	12-Volt; 440 Cold-Crank Amp.	12-Volt; 440 Cold-Crank Amp.
Power w/ 6-Position Tilt Steering	Power w/ 6-Position Tilt Steering	Power w/ 6-Position Tilt Steering	Power w/ 6-Position Tilt Steering
Hydraulic	Hydraulic	Hydraulic	Hydraulic
Dual External Disc	Dual External Disc	Dual External Disc	Dual External Disc
5-Position Adjustable, High-Back	5-Position Adjustable, High-Back	5-Position Adjustable, High-Back	5-Position Adjustable, High-Back
Neutral Start, Operator Seat, Reverse Safety Switch, Brake Pedal Lock			
Full-Length, Twin-Channel, 10-Gauge Steel	Full-Length, Twin-Channel, 10-Gauge Steel	Full-Length, Twin-Channel, 10-Gauge Steel	Full-Length, Twin-Channel, 10-Gauge Steel
Cast Iron, w/ Greaseable Spindles & Center Pivot, 1" Axle to Wheels w/ Inner & Outer Ball Bearings			
All-Steel Fenders; Hood & Side Panels Constructed of Engineered Material			
5 Gallons	5 Gallons	5 Gallons	5 Gallons
4 Pints	6.2 Pints	3.8 Pints	4 Pints
42", 44", 46", 48" and 54" (Optional)	46", 48", 54" and 60" (Optional)	46", 48", 54" and 60" (Optional)	46", 48", 54" and 60" (Optional)
2" to 4"	2" to 4"	2" to 4"	2" to 4"
Floating, w/ 4-Point Parallel Linkage	Floating, w/ 4-Point Parallel Linkage	Floating, w/ 4-Point Parallel Linkage	Floating, w/ 4-Point Parallel Linkage
Optional Triple Bagger (46" Only), 10-Bushel Capacity			
4 Adjustable Gauge Wheels, 1 Roller on 46" and 2 Rollers on 48", 54" and 60"			
28"	36"	36"	36"
16 x 6.5-8 / 23 x 10.5-12	18 x 8.5-8 / 26 x 12.0-12	18 x 8.5-8 / 26 x 12.0-12	18 x 8.5-8 / 26 x 12.0-12
46.5"	51.6"	51.6"	51.6"
72"	78.5"	78.5"	78.5"
37.75"	43.5"	43.5"	43.5"
44"	47.5"	47.5"	47.5"
880 lb. w/ 54" Deck	1,133 lb. w/ 60" Deck	1,139 lb. w/ 60" Deck	1,037 lb. w/ 60" Deck
2-Year Limited			





# THE CUB CADET DEALER

Cub Cadet products are sold exclusively through independent servicing dealers. Nowhere else.

Because only independent dealers run a business the way we build our tractors: with pride, an emphasis on reliability, and a thorough knowledge of how to get things done right.

Every one of our independent dealers is a lawn and garden equipment expert. They know the lay of the land, listen to what you need, and match you up with the right product. They make financing easy with Cub Cadet's financing plan. And they keep Cub Cadet working for you with a full 2-year limited warranty and timely parts and service.

## CUB CADET GARDEN TRACTOR QUOTE SHEET

Date: \_\_\_\_\_ Sales Representative: \_\_\_\_\_

Customer: \_\_\_\_\_

Model Number: \_\_\_\_\_ Description: \_\_\_\_\_

Options/Attachments: \_\_\_\_\_

Price: \_\_\_\_\_

Freight/Set-Up: \_\_\_\_\_

Less Trade-In: \_\_\_\_\_

Less Other: \_\_\_\_\_

Subtotal: \_\_\_\_\_

Price Effective Until: \_\_\_\_\_ Sales Tax: \_\_\_\_\_

Due to continuing improvements in the design and manufacture of the Cub Cadet Garden and Super Garden products, all specifications contained herein are subject to change without notice.  
2-Year Limited Warranty.

Total:



LTG 429-9297



P.O. Box 368023  
Cleveland, Ohio 44136